EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20080259949"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/26 14:03
S2	2	"20020126649"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 15:54
S3	43184	370/229,230,431,436,442-444,458,461. ccls. or "710".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:15
S4	34910	S3 and ((@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:16
S5	202108	(time near2 slot) or (time near2 division)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:16
S6	29372	(time near2 period) with (repeat$3 or repitit $4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:17
S7	438	S5 same S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:17
S8	26	S4 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 16:17
S9	1	((EDWIN) near2 (RIJPEKEMA)).INV.	US-PGPUB; USPAT	OR	ON	2009/06/11 16:17
S10	27	S7 and ((discard$3 or drop$4 or throw$3) with (packet or message or frame or datagram))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 18:08
S11	20	S10 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 18:09

S12	4912	((forward$3 or send$3) with (packet or message or frame or datagram)) same ((bas$3 or depend$4) with (idle or senior$3 or priority))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S13	3715	S12 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S14	202108	(time near2 slot) or (time near2 division)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S15	1280	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S16	29372	(time near2 period) with (repeat$3 or repitit$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S17	438	S14 same S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S18	5	S13 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:36
S19	1280	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:44
S20	165	S12 same S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:45
S21	141	S20 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:45
S22	43184	370/229,230,431,436,442-444,458,461. ccls. or "710".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:45
S23	22	S21 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:45

S24	1726	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:51
S25	1425	S24 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:51
S26	224	S25 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 10:51
S27	1007	cross$3 near2 time near2 (slot or period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 11:02
S28	1	S27 same (ACK or acknowledg$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 11:03
S29	5	S27 same (ACK or acknowledg$5 or confirm $5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/13 11:03
S30	54972	370/216,229,230,431,436,442-444,458,461,464,465,468.ccls. or "710". clas. or 375/316,346.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:23
S31	1726	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27
S32	340	S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27
S33	294	S32 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27
S34	4913	((forward$3 or send$3) with (packet or message or frame or datagram)) same ((bas $3 or depend$4) with (idle or senior$3 or priority))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27
S35	496	S30 and S34 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27

S36	78	S30 and S31 and S34 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/15 09:27
S37	57162	370/216,229,230,431,436,442-444,458,461,464,465,468.ccls. or "710". clas. or 375/316,346.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:43
S38	1809	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:43
S39	5146	((forward$3 or send$3) with (packet or message or frame or datagram)) same ((bas $3 or depend$4) with (idle or senior$3 or priority))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:43
S40	78	S37 and S38 and S39 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:43
S41	25	S40 and (integrat$5 near2 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:43
S42	3	10/298520	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 14:45
S43	299097	SOC or (system near2 on near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 10:20
S44	255318	S43 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 10:21
S45	1494	(cross$3 with (time near2 slot))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 10:21
S46	12	S44 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 10:21
S47	299097	SOC or (system near2 "on" near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 10:23

S48	300514	SOC or (system near2 on near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S49	1263857	S48 or (integrat$5 near2 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S50	57607	370/216,229,230,431,436,442-444,458,461,464,465,468.ccls. or "710".clas. or 375/316,346.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S51	1819	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S52	5196	((forward$3 or send$3) with (packet or message or frame or datagram)) same ((bas $3 or depend$4) with (idle or senior$3 or priority))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S53	78	S50 and S51 and S52 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S54	35	S49 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:48
S55	1825	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:32
S56	5208	((forward$3 or send$3) with (packet or message or frame or datagram)) same ((bas $3 or depend$4) with (idle or senior$3 or priority))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:32
S57	373	S55 and S56 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:32
S58	300982	SOC or (system near2 on near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:33
S59	1266951	S58 or (integrat$5 near2 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:33

S60	176	S57 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:33
S61	212199	(time near2 slot) or (time near2 division)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:34
S62	30662	(time near2 period) with (repeat$3 or repitit$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:34
S63	452	S61 same S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:34
S64	0	S60 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:34
S65	2713	S61 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:35
S66	3	S60 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/30 13:35
S67	1267615	SOC or (system near2 on near2 chip) or (integrat$5 near2 circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:44
S68	1828	(priorit$3 with discard$3) same (packet or message or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:45
S69	436504	(flow$3 congest$5) near2 control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:45
S70	27169	S67 with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:45
S71	0	S68 same S69 same S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:45

S72	0	S67 same S68 same S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:45
S73	3058	S67 same (S68 or S69)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:46
S74	91	S70 same (S68 or S69)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:46
S75	65	S74 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:46
S76	1270723	SOC or (system near2 "on" near2 chip) or (integrat$5 near2 circuit) or NOC or (network near2 "on" near2 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:47
S77	29369	S76 with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:48
S78	124	S77 same (S68 or S69)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:48
S79	83	S78 and (@pd<"20040303" or @ad<"20040303" or @prad<"20040303" or @rlad<"20040303" or @ptad<"20040303")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 09:48
S80	1	((EDWIN) near2 (RIJPEKEMA)).INV.	US-PGPUB; USPAT	OR	ON	2009/12/01 13:00
S81	58895	370/216,229,230,431,436,442-444,458,461,464,465,468.ccls. or "710".clas. or 375/316,346.ccls. or 719/313.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:08
S82	16	S75 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:08
S83	3	"20040103230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 13:17

S84	2	"20060095920"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 11:00
S85	2	"20060095920"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 11:01
S86	3	"20060041888"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 11:02
S87	3	"20060041888"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 11:02
S88	3	"20060041889"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:30

12/ 3/ 2009 1:53:11 PM
C:\ Documents and Settings\ pmasur\ My Documents\ 2010\ 2010 - Quarter 1\ 10_598299\ 10_598299a.wsp